



M-SZ1 Fragrance Machine

The MULTI-SCENT M-SZ 1 uses heated ceramic “dry” cartridges and a high output axial fan for the dispersal of fragrance. The MULTI-SCENT M-SZ 1 is light and robust and fits neatly into an office or retail store and most other places. Our fragrances are of the highest quality with over 70 stock fragrances to choose from. The ceramic cartridge will last up to 4 weeks dependant on usage and can be changed in a matter of seconds.



- USES “DRY” CARTRIDGES
- USER FRIENDLY
- POWERFUL
- EXCELLENT SALES TOOL
- NO FLUID CONTAINER
- ATTRACTIVE & COMPACT
- TIMER & FAN CONTROL
- CONTROL VIA 0-10V
- DMX CONTROL OPTION*
- ROBUST ALUMINIUM CASE
- STAINLESS STEEL INTERIOR
- 2 YEARS WARRANTY
- 110V-240V/50-60Hz
- LOW POWER CONSUMPTION

*REQUIRES DMX512 INTERFACE

MULTI-SCENT M-SZ 1 FEATURES

Compact design: Because of the compact design the machine fits perfectly into an office or shop environment, the MULTI-SCENT M-SZ 1 may be used on a desk, counter or on the floor.

Easy Of Use: The MULTI-SCENT M-SZ 1 is designed with easy of use in mind. Simply connect to the mains power supply, choose a fragrance cartridge and switch on.

Changing The Cartridge: The fragrance cartridge is easily changed in a few seconds, there are no wires or pipes to connect and no fluid to handle.

Fan Speed Control: The MULTI-SCENT M-SZ 1 is fitted with a fan speed controller, this enables the user to control the output and offers virtually silent operation.

Light Sensor: The MULTI-SCENT M-SZ 1 is featuring a light sensor, to allow automatically operation during day time or with lights switched on.

Timer Control: A variable timer fitted to the MULTI-SCENT M-SZ 1. Using the timer will prolong the life of the fragrance cartridge and will reduce the output for smaller areas.

SPECIFICATIONS

DIMENSIONS	W280mm X H365mm X L150mm
WEIGHT	5.2kg
POWER RATING	85 WATT
VOLTAGE RATING	110VAC – 120VAC & 220VAC – 240VAC
COVERAGE	OVER 200 m²
CONFORMITY	CE COMPLIANT

All technical specifications are subjected to be changed without prior notice !



M-SZ2 Fragrance Machine

The MULTI-SCENT M-SZ 2 is 2 machines in 1. There are 2 individual outputs, each output uses heated ceramic “dry” cartridges and high output fans for the dispersal of fragrance. Any combination of fragrances can be used, 2 different fragrances or 2 of the same kind. Our fragrances are of the highest quality with over 70 stock fragrances to choose from. The ceramic cartridge will last up to 4 weeks dependant on usage and can be changed in a matter of seconds.



- MIX 2 FRAGRANCES
- USES “DRY” CARTRIDGES
- USER FRIENDLY
- POWERFUL
- EXCELLENT SALES TOOL
- NO FLUID CONTAINER
- ATTRACTIVE & COMPACT
- TIMER & FAN CONTROL
- CONTROL VIA 0-10V
- DMX CONTROL OPTION*
- ROBUST ALUMINIUM CASE
- STAINLESS STEEL INTERIOR
- 2 YEARS WARRANTY
- 110V-240V/50-60Hz
- LOW POWER CONSUMPTION

*REQUIRES DMX512 INTERFACE

MULTI-SCENT 3 FEATURES

Compact design: Because of the compact design the machine fits perfectly into an office or shop environment, the MULTI-SCENT M-SZ 2 may be used on a desk, counter or on the floor.

Easy Of Use: The MULTI-SCENT M-SZ 2 is designed with easy of use in mind. Each fragrance output has an illuminating switch, when this is switched on fragrance will be dispersed into the atmosphere.

Changing The Cartridge: The fragrance cartridge is easily changed in a few seconds, there are no wires or pipes to connect and no fluid to handle.

Fan Speed Control: The MULTI-SCENT M-SZ 2 is fitted with a fan speed controller, this enables the user to control the output and offers virtually silent operation.

Light Sensor: The MULTI-SCENT M-SZ 2 is featuring a light sensor, to allow automatically operation during day time or with lights switched on.

Timer Control: A variable timer circuit is fitted to the MULTI-SCENT M-SZ 2. Using the timer will prolong the life of the fragrance cartridge.

SPECIFICATIONS

DIMENSIONS	W280mm X H525mm X D150mm
WEIGHT	7.5kg
POWER RATING	200 WATT
VOLTAGE RATING	110V – 120V & 220V – 240V
COVERAGE	OVER 200 m² PER OUTPUT (400m² TOTAL)
CONFORMITY	CE COMPLIANT

All technical specifications are subjected to be changed without prior notice !



M-SZ3 Fragrance Machine

The MULTI-SCENT M-SZ 3 is 3 machines in 1. There are 3 individual outputs, each output uses heated ceramic “dry” cartridges and high output fans for the dispersal of fragrance. Any combination of fragrances can be used, 2 different fragrances or 2 of the same kind. Our fragrances are of the highest quality with over 70 stock fragrances to choose from. The ceramic cartridge will last up to 4 weeks dependant on usage and can be changed in a matter of seconds.



- MIX 3 FRAGRANCES
- USES “DRY” CARTRIDGES
- USER FRIENDLY
- POWERFUL
- EXCELLENT SALES TOOL
- NO FLUID CONTAINER
- ATTRACTIVE & COMPACT
- TIMER & FAN CONTROL
- CONTROL VIA 0-10V
- DMX CONTROL OPTION*
- ROBUST ALUMINIUM CASE
- STAINLESS STEEL INTERIOR
- 2 YEARS WARRANTY
- 110V-240V/50-60Hz
- LOW POWER CONSUMPTION

*REQUIRES DMX512 INTERFACE

MULTI-SCENT 3 FEATURES

Compact design: Because of the compact design the machine fits perfectly into an office or shop environment, the MULTI-SCENT M-SZ 3 may be used on a desk, counter or on the floor.

Easy Of Use: The MULTI-SCENT M-SZ 3 is designed with easy of use in mind. Each fragrance output has an illuminating switch, when this is switched on fragrance will be dispersed into the atmosphere.

Changing The Cartridge: The fragrance cartridge is easily changed in a few seconds, there are no wires or pipes to connect and no fluid to handle.

Fan Speed Control: The MULTI-SCENT M-SZ 3 is fitted with a fan speed controller, this enables the user to control the output and offers virtually silent operation.

Light Sensor: The MULTI-SCENT M-SZ 3 is featuring a light sensor, to allow automatically operation during day time or with lights switched on.

Timer Control: A variable timer circuit is fitted to the MULTI-SCENT M-SZ 3. Using the timer will prolong the life of the fragrance cartridge.

SPECIFICATIONS

DIMENSIONS	W280mm X H725mm X D150mm
WEIGHT	9.5kg
POWER RATING	300 WATT
VOLTAGE RATING	110V – 120V & 220V – 240V
COVERAGE	OVER 200 m² PER OUTPUT (600m² TOTAL)
CONFORMITY	CE COMPLIANT

All technical specifications are subjected to be changed without prior notice !



MULTI-SCENT MK3 Professional FRAGRANCING SYSTEM

The MULTI-SCENT MK3 is 3 professional machines in 1. There are 3 individual outputs, each output uses heated ceramic “dry” cartridges and high output fans for the dispersal of fragrance. Any combination of fragrances can be used, 3 different fragrances or 3 of the same kind. Our fragrances are of the highest quality with over 70 stock fragrances to choose from. The ceramic cartridge will last up to 4 weeks dependant on usage and can be changed in a matter of seconds.



- **CONTROL VIA DMX** AND 0-10V ANALOG
- ROBUST AND REINFORCED HOUSING
- MIX FRAGRANCES
- USES “DRY” CARTRIDGES
- USER FRIENDLY
- POWERFUL
- EXCELLENT POSITIVE STIMULATION
- NO FLUID CONTAINER
- ATTRACTIVE & COMPACT
- TIMER & FAN CONTROL
- ROBUST ALUMINIUM CASE
- STAINLESS STEEL INTERIOR
- 2 YEARS WARRANTY
- 110V-240V/50-60Hz
- LOW POWER CONSUMPTION

MULTI-SCENT MK3 professional FEATURES

Compact design: Because of the compact design the machine fits perfectly into an office or shop environment, the MULTI-SCENT 3 may be used on a desk, counter or on the floor.

Easy Of Use: The MULTI-SCENT MK3 is designed with easy of use in mind. Each fragrance output has an illuminating switch, when this is switched on fragrance will be dispersed into the atmosphere.

Changing The Cartridge: The fragrance cartridge is easily changed in a few seconds, there are no wires or pipes to connect and no fluid to handle.

Fan Speed Control: The MULTI-SCENT MK3 is fitted with a fan speed controller, this enables the user to control the output and offers virtually silent operation.

Timer Control: A variable timer circuit is fitted to the MULTI-SCENT MK3. Using the timer will prolong the life of the fragrance cartridge.

DMX Control: programmable control by DMX512 to use the MULTI-SCENT MK3 in Multi Vision and – Multi Sensual shows. The three different fragrance outlets can be used independently.

Analog 0-10V Control: control by analog 0-10V on/off signal to use the MULTI-SCENT MK3 remote control or by programmable analog controllers. The three different fragrance outlets can be used independently.

SPECIFICATIONS

CONTROL	DMX 512, 0-10V analog, manual
DIMENSIONS	270mm X 270mm X 250mm
WEIGHT	6.4kg
POWER RATING	250 WATT
VOLTAGE RATING	110V – 120V & 220V – 240V
COVERAGE	OVER 200 m² PER OUTPUT (600m² TOTAL)
CONFORMITY	CE COMPLIANT

All technical specifications are subjected to be changed without prior notice !

Fragrance Machines made in Europe



Our fragrances come from one of the leading suppliers to the cosmetic industry and the quality is superb. We pride ourselves on having the finest quality fragrances along with "state of art" technology to faithfully reproduce these fragrances in the atmosphere.

The sense of smell has a powerful effect on human thought and behavior, "Of all the senses smell has the greatest impact on human emotions".

Fragrance has been described as "the cat burglar" in your brain, it is the key that can pick the lock and unleash memories or particular moods. We should never underestimate the power of fragrance.

- To incorporate another sense into a special effect
- As a sales tool
- To create a pleasant smell in the atmosphere
- Improve productivity & performance
- Corporate image

There are many applications for the use of fragrance, including:

- Shops
- Department Stores
- Shopping malls
- Offices
- Factories
- Airport Lounges
- Reception Arias
- Concerts
- Theme Parks
- Special Effects
- Sports Facilities
- Cinemas
- Theatres
- Supermarkets
- Night-club
- Pubs/Bars
- Special Event
- Exhibitions
- Restaurants
- Cafes
- Hospitals
- Car-parks
- Public Transport
- Domestic use
- Hotels
- Wedding Receptions
- Nursing Homes
- All Public Areas

STOCK FRAGRANCES

REF	FEAGRANCE	REF	FRAGRANCE
010/01	Amber	010/52	Honey
010/68	Amber Bab Souk	010/43	Indian Spice
010/02	Anis (Aniseed)	010/22	Jasmine
010/03	Apple Pie	010/23	Lavender
010/04	Apricot	010/24	Liquorice
010/55	Baby	010/25	Leather
010/51	Banana	010/26	Mandarin
010/60	Bar-BA-cue	010/27	Mango
010/05	Black Currant	010/28	Menthe (Strong Mint)
010/06	Bubble Gum	010/66	Middle Eastern Agar Wood
010/63	Burnt Wood	010/29	Mimosa
010/54	Cassis	010/30	Mure (Berry)
010/07	Cappuccino	010/31	Oeillet (Carnation)
010/08	Cedar Wood	010/32	Orient
010/44	Chocolate	010/33	Ozone (Fresh Air)
010/09	Chocolate Orange	010/57	Ozone De Mer (Sea Fresh)
010/58	Chocolate Cookie	010/61	Ozone Fleur (Flower Fresh)
010/64	Cinnamon	010/18	Patisserie
010/65	Cinnamon Orange	010/56	Perfume Of Tropical Fruits
010/10	Citron Vert (Lemon/Lime)	010/48	Peri Peri (Tomato + Spice)
010/11	Coconut Cream	010/34	Pin Et Cedre Doux (Sweet Cedar)
010/50	Coffee Mocha	010/35	Pineapple
010/12	Cola	010/36	Pink Grapefruit
010/13	Confectionery Shop	010/37	Rainforest
010/67	Cuir De Marrakech	010/62	Rainforest – Tropical
010/14	Eucalyptus	010/59	Roast Chicken
010/15	Fleur De Tilleul	010/49	Rose
010/16	Fraise (Strawberry)	010/38	Sweet Rose
010/17	Freesia	010/39	Sea Marine
010/69	Fresh Linen	010/40	Spice
010/19	Fresh Rosemary	010/45	Sticky Bun
010/20	Ginger	010/46	Tomato
010/47	Gunpowder	010/41	Vanilla
010/21	Herbe Coupee (Cut Grass)	010/42	Verveine Ifra (Lemon Herb Tea)

All technical specifications are subjected to be changed without prior notice !