

Customer Export Price List



01.04.2019

Prices per piece ex works in Euro

Page 1 of 12

Speaker Cabinets	Description	Professional Version Structural Varnish	Suspension Version Structural Varnish	Fixed Installation MDF Finish
NEW! I-Series				
I-V1061-CRND	Fullrange (1x6"/1x1"Coaxial) +Mount 8Ω / 200W AES	499,00		
I-V1081-CRND	Fullrange (1x8"/1x1"Coaxial) +Mount 8Ω / 300W AES	569,00		
I1061-CRND	Fullrange (1x6"/1x1"Coaxial) +Mount 8Ω / 150W AES	299,00		
I2061-CRND	Fullrange (2x6"/1x1") +Mount 4Ω / 300W AES	499,00		
I1061-CRE	Fullrange (1x6"/1x1"Coaxial) +Mount 4Ω / 80W AES	199,00		185,00
I2061-CRE	Fullrange (2x6"/1x1") +Mount 4Ω / 160W AES	335,00		299,00
Multiway Cabinets				
M1081-H	Fullrange (1x8"/1x1"Horn-Tweeter) 8Ω / 100W AES	599,00	634,00	581,00
M1101-H	Fullrange (1x10"/1x1"Horn-Tweeter) 8Ω / 150W AES	777,00	867,00	740,00
M11241-H	Fullrange (1x12"/1x4"/1x1"Horn-Tweeter) 8Ω / 200W AES	1.095,00	1.185,00	1.040,00
M11581-H	Fullrange (1x15"/1x8"/1x1"Horn-Tweeter) 8Ω / 600W AES	1.220,00	1.310,00	1.185,00
M1101-HIFI	HIFI (1x10" /1x1"Tweeter) 8Ω / 150W AES	405,00	-	380,00
M11221-HIFI	HIFI (1x12" /1x2"Mid/1x1"Tweeter) 8Ω / 300W AES	830,00	-	800,00
M11541-HIFI	HIFI (1x15" /1x4"Mid/1x1"Tweeter) 8Ω / 400W AES	1.176,00	-	1.140,00
Mid-High Range				
T1081-H	Mid-High (1x8"/1x1"Horn-Tweeter) 8Ω / 200W AES	854,00	944,00	809,00
T1101-H	Mid-High (1x10"/1x1" CD Horn) 8Ω / 300W AES	959,00	1.049,00	912,00
T1101-HND	Mid-High (1x10"ND Driver/1x1" CD Horn) 8Ω / 300W AES, ND-Version	1.055,00	1.154,00	999,00
T1121-H	Mid-High (1x12"/1x1"CD Horn) 8Ω / 400W AES	1.320,00	1.410,00	1.272,00
T1121-HND	Mid-High (1x12" ND Driver /1x1"CD Horn) 8Ω / 400W AES, ND-Version	1.452,00	1.551,00	1.399,00
T2102-H	Mid-High (2x10" Horn/1x2"CD Horn) 4Ω / 800W AES	2.200,00	2.325,00	2.150,00
T2102-HND	Mid-High (2x10" ND Driver /1x2"CD Horn) 4Ω / 800W AES, ND-Version	2.420,00	2.558,00	2.365,00
T2122-H	Mid-High (2x12"Horn/1x2"CD Horn) 4Ω / 1.200W AES	2.405,00	2.530,00	2.350,00
T2122-HND	Mid-High (2x12" ND Driver /1x2"CD Horn) 4Ω / 1.2kW AES, ND-Version	2.646,00	2.783,00	2.585,00

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.04.2019

Prices per piece ex works in Euro

Page 2 of 12

Sub Woofer Horn

B1150-H	Bass-Horn (1x15") 8Ω / 800W AES	1.035,00	1.160,00	980,00
B1150-HND	Bass-Horn (1x15"ND) 8Ω / 700W	1.139,00	1.276,00	1.078,00
B2150-H	Bass-Horn (2x15") 4Ω / 1.6kW AES	1.820,00	-	1.733,00
B2150-HND	Bass-Horn (2x15"ND) 4Ω / 1.4kW	1.999,00	-	1.906,00
B1180-H	Bass-Horn (1x18") 8Ω / 1kW AES	1.170,00	1.295,00	1.115,00
B1180-HND	Bass-Horn (1x18"ND) 8Ω / 800W	1.287,00	1.425,00	1.227,00
B2180-H	Bass-Horn (2x18") 4Ω / 2kW AES	2.075,00	-	1.985,00
B2180-HND	Bass-Horn (2x18"ND) 4Ω / 1.6kW	2.283,00	-	2.184,00
B1210-H	Bass-Horn (1x21") 8Ω / 1.2kW AES	1.787,00	-	1.727,00

Sub Woofer Relex

B1150-R	Bass-Reflex (1x15") 8Ω / 800W AES	880,00	1.005,00	840,00
B1150-RND	Bass-Refl.(1x15"ND) 8Ω /700W AES	968,00	1.105,00	924,00
B2150-R	Bass-Reflex (2x15") 4Ω /1.6kW AES	1.615,00	-	1.545,00
B2150-RND	Bass-Refl.(2x15"ND) 4Ω 1.4kW AES	1.776,00	-	1.699,00
B1180-R	Bass-Reflex (1x18") 8Ω / 1kW AES	1.035,00	1.160,00	980,00
B1180-RND	Bass-Refl.(1x18"ND) 8Ω /800W AES	1.138,00	1.276,00	1.078,00
B2180-R	Bass-Reflex (2x18") 4Ω /2.0kW AES	1.820,00	-	1.733,00
B2180-RND	Bass-Refl.(2x18"ND) 4Ω/1.6kW AES	2.002,00	-	1.906,00

Monitor/Multipurpose

MT1121-H	Bass-Reflex (1x12"/1x1" Horn) 8Ω / 350W AES	999,00	1.099,00	-
MT1121.4-H	Bass-Reflex (1x12"/1x1.4" Horn) 8Ω / 450W AES	1.420,00	1.510,00	-
MT2121-H	Bass-Reflex (2x12"/1x1" Horn) 4Ω / 700W AES	1.820,00	1.910,00	-
MT1152-H	Bass-Reflex (1x15"/1x2" Horn) 8Ω / 600W AES	1.560,00	1.683,00	-

Line Array

LA20821.7-HND	Bass-Reflex/Horn (2x8"/2x1.75" Planar-Waveguide-Horn) Neodym, 8Ω/8Ω / 600W AES	-	2.520,00	-
LA21021.4-HND	Bass-Reflex/Horn (2x10"/2x1.4" Horn) Neodym, 8Ω/8Ω / 1.2kW AES	-	3.810,00	-
LA2121-HND	Bass-Reflex/Horn (2x10"/2x1.4" Horn), Neodym, 8Ω/16Ω / 950W AES	-	4.190,00	-
LA2151-HND	Bass-Reflex/Horn (2x15"/2x6"/3x1.5" Horn), Neo. 8Ω/8Ω/16Ω/1.6KW AES	-	5.990,00	-
LA21231.7-HND	Bass-Reflex/Horn (2x12"/3x1.75" Planar-Waveguide-Horn), Neodym, 8Ω/16Ω / 1.9kW AES	-	6.399,00	-
LAB2080-RND	Bass-Reflex (2x8"), Neodym, Bass Extension 0.8KW AES / 8Ω	-	1.849,00	-
LAB2100-RND	Bass-Reflex (2x10"), Neodym, Bass Extension 1.0KW AES / 8Ω	-	1.990,00	-
LAB2120-RND	Bass-Reflex (2x12"), Neodym, Bass Extension 2.0KW AES / 8Ω	-	2.990,00	-
LAB2150-RND	Bass-Reflex (2x15"), Neodym, Bass Extension 2.4KW AES / 8Ω	-	3.690,00	-

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.04.2019

Prices per piece ex works in Euro

Page 3 of 12

Powered Sub Woofer

PB1150-R	Bass-Reflex (1x15") 1 KW RMS internal digital Controller	1.880,00	2.005,00	1.840,00
PB2150-R	Bass-Reflex (2x15") 2 KW RMS internal digital Controller	2.865,00	-	2.795,00
PB1180-R	Bass-Reflex (1x18") 1 KW RMS internal digital Controller	2.035,00	2.160,00	1.980,00
PB2180-R	Bass-Reflex (2x18") 2 KW RMS internal digital Controller	3.070,00	-	2.983,00

Function-Series

T1101-HNDF	Mid-High (1x10"ND Driver/1x1,75" CD Horn) 8Ω / 600W AES, ND-F Version	1.575,00	1.690,00	1.499,00
T1121-HNDF	Mid-High (1x12" ND Driver / 1x1,75"CD Horn) 8Ω / 1000W AES, ND-F Version	1.990,00	2.240,00	1.899,00
B1150-RNDF	Bass-Reflex (1x15"ND) 8Ω / 1200W AES	1.420,00	1.529,00	1.259,00
B2150-RNDF	Bass-Reflex (2x15"ND) 4Ω /2.4kW AES	2.499,00	-	2.240,00
B1180-RNDF	Bass-Reflex (1x18"ND) 8Ω / 1.6kW AES	1.638,00	1.710,00	1.520,00
B2180-RNDF	Bass-Reflex (2x18"ND) 4Ω /3.2kW AES	2.890,00	-	2.599,00

Powered Multiway

PM1001-H	Fullrange (1x10"/1x1" CD-Horn) 300W RMS, internal Controller	1.777,00	1.867,00	1.740,00
PM1201-H	Fullrange (1x12"/1x1" CD-Horn) 400W RMS, internal Controller	2.095,00	2.185,00	2.040,00
PM15175-HND	Fullrange (1x15"/1x1,75"ND-Horn) 400W RMS, internal Controller Very High Power High Output	2.220,00	2.310,00	2.185,00
PT2102-HND	Mid-High (2x10" ND Driver /1x2"CD Horn) 1 KW RMS, ND-Version internal digital Controller	3.420,00	3.558,00	3.365,00
PT2122-HND	Mid-High (2x12" ND Driver /1x2"CD Horn) 1.2 KW RMS, ND-Version internal digital Controller	3.646,00	3.783,00	3.585,00

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.04.2019

Prices per piece ex works in Euro

Page 4 of 12

Weather Proof WP-Series	For out door	
NEW! WP1061-CRND	6"/ 1" Fullrange System, 8Ω/200W AES, GRP, w. proof	699,00
NEW! WP2061-CRND	2x 6"/ 1" Fullrange System, 4Ω/400W AES, GRP, w. proof	1.340,00
WP1081-CRND	8"/ 1" Fullrange System, 8Ω/16Ω/200W AES, GRP, w. proof	799,00
WP2081-CRND	2x 8"/ 1" Fullrange System, 8Ω/16Ω/400W AES, GRP, w. proof	1.440,00
WP1101-CRND	10"/ 1" Fullrange System, 8Ω/16Ω/200W AES, GRP, w. proof	980,00
WP2101-CRND	2x 10"/1" Fullrange System 4Ω/8Ω/400W AES, GRP, w. proof	1.764,00
WP1101-BRND	1x 10" Bass-System, 8Ω/200W AES, GRP, w. proof	664,00
WP1122-CRND	12"/ 2" Fullrange System, 8Ω/16Ω/350W AES, GRP, w. proof	1.040,00
WP1122-CRHP	12"/ 2" Fullrange System, Hi-Power 8Ω/8Ω/600W AES, GRP, w. proof	1.360,00
WP1120-BRND	12" Bass-Reflex System, 8Ω/600W AES, GRP, weather proof	760,00
WP2122CRND	2x 12"/ 2" Fullrange System, 4Ω/8Ω/700W AES, GRP, w. proof	1.872,00
WP2122-CRHP	2x 12"/ 2" Fullrange System, Hi- Power, 4Ω/4Ω/1.2kW AES, GRP, weather proof	2.312,00
WP2120-BRND	2x 12" Bass-Reflex System, 4Ω/1.2kW AES, GRP, weather proof	1.368,00
WP1152-CRND	15"/ 2" Fullrange System, 8Ω/16Ω /400W AES, GRP, w. proof	1.130,00
WP1152-CRHP	15"/ 2" Fullrange System, Hi-Power 8Ω/800W AES, GRP, weather proof	1.650,00
WP1150-BRND	15" Bass-Reflex System, 8Ω/800W AES, GRP, weather proof	870,00
WP2152-CRND	2x 15"/ 2" Fullrange System, 4Ω/8Ω/800W AES, GRP, w. proof	2.034,00
WP2152-CRHP	2x 15"/ 2" Fullrange System, Hi- Power, 4Ω/8Ω/1.6kW AES, GRP, weather proof	2.970,00
WP2150-BRND	2x 15" Bass-Reflex System, 4Ω/1.6kW AES, GRP, weather proof	1.566,00

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.04.2019

Prices per piece ex works in Euro

Page 5 of 12

Weather Proof WPA-Series	Self powered, Class-D modules, for out door	
NEW! WPA1061-CRND	6"/ 1" Fullrange System, Class-D - 200W RMS, GRP, weather proof	1.295,00
NEW! WPA2061-CRND	2x 8"/ 1" Fullrange System, Class-D 400W RMS, GRP, weather proof	1.999,00
WPA1081-CRND	8"/ 1" Fullrange System, Class-D, 200W RMS, GRP, weather proof	1.395,00
WPA2081-CRND	2x 8"/ 1" Fullrange System, Class-D 400W RMS, GRP, weather proof	2.099,00
WPA1101-CRND	10"/ 1" Fullrange System, Class-D, 200W RMS, GRP, weather proof	1.584,00
WPA2101-CRND	2x 10"/1" Fullrange System, Class-D, 400W RMS, GRP, weather proof	2.399,00
WPA1122-CRND	12"/ 2" Fullrange System, Class-D, 500W RMS, GRP, weather proof	1.892,00
WPA1120-BRND	12" Bass-Reflex System, Class-D, 500W RMS, GRP, weather proof	1.549,00
WPA2122CRND	2x 12"/ 2" Fullrange System, Class- D, 700W RMS, GRP, weather proof	2.899,00
WPA2120-BRND	2x 12" Bass-Reflex System, Class-D, 700W RMS, GRP, weather proof	2.599,00
WPA1152-CRND	15"/ 2" Fullrange System, Class-D , 800W RMS, GRP, weather proof	1.989,00
WPA1150-BRND	15" Bass-Reflex System, Class-D , 800W RMS, GRP, weather proof	1.699,00
WPA2152-CRND	2x 15"/2" Fullrange System, Class-D, 1.400W RMS, GRP, weather proof	3.499,00
WPA2150-BRND	2x 15" Bass-Reflex System, Class-D, 1.400W RMS, GRP, weather proof	2.699,00
I-Floor®	Modular 1x1m	
S-Floor® System	1x1m Sound Floor Module, Multiplex, 2x750W RMS with system controller and exciter	2.599,00
S-Floor® System SL	1x1m Sound Floor Modul, "Slave" Tile, without system controller and exciter	699,00
I-Floor® System	1x1m Infra-Floor Bass-Module, Multiplex, 2x750W RMS with system controller and exciter	2.399,00
I-Floor® System SL	1x1m Infra-Floor Bass-Module, "Slave" Tile, without system controller and exciter	699,00

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.04.2019

Prices per piece ex works in Euro

Page 6 of 12

3D-Sound System	Processor, Tablet-Computer, Software, WiFi Router	
3D-Sound System	System with 3D-Sound-Processor, Software for Tablet-Computer Control, with WiFi Router	2.990,00
Laser-Mission Laser-Obstacle-Game	Control Unit, Compact-PC, Laser- Sensor-Barrier, Video- and Audio- Output for Display, Software-Licence	
Laser-Mission System	Complete system to create an exciting Laser-Obstacle-Game	21.100,00
	Example-Price for a system with 20 Laser-Light-Barriers Control-Unit LMC1, PC-based counting system with video output for monitor display inclusively audio-out for stunning Sound-Effects	
Laser-Emitter and receiver module (additional)	Laser-Emitter and receiver module- combination to create an additional Laser-Light-Barrier	699,00

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.04.2019

Prices per piece ex works in Euro

Page 7 of 12

Complete Systems	Description	Professional Version Structural Varnish	Suspension Version Structural Varnish	Fixed Installation MDF Finish
2 Way Active Crossover				
System 1-R 2 X 1000 Watt RMS/8Ω SPL max 128 dB 1W/1m	2 Way Active Crossover, Mid-High with Passive Network, inclusive Digital-4Way System Controller, Amplifier Rack, Connection Plane , Cables Set and Accessories 2 X Mid-High : T1081-H 2 X Bass : B1150-R System Power : 2 X 450 W RMS Bass 2 X 350 W RMS Mid-High	6.158,00	6.338,00	6.028,00
System 1-RS	Similar to System 1-R but in Slave Configuration, without System – Controller, rest identical	5.023,00	5.203,00	4.893,00
System 1-H	Similar to System 1-R but incl. Box B1150-H as Sub Woofer for long throw application, rest identical.	6.468,00	6.648,00	6.338,00
System 2-R 2 X 1100 Watt RMS/8Ω SPL max 132 dB 1W/1m	2 Way Active Crossover, Mid-High with Passive Network, inclusive Digital-4Way System Controller, Amplifier Rack, Connection Plane , Cables Set and Accessories 2 X Mid-High : T1101-H 2 X Bass : B1150-R System Power : 2 X 750 W RMS Bass 2 X 450 W RMS Mid-High	6.988,00	7.168,00	6.838,00
System 2-RS	Similar to System 2-R but in Slave Configuration, without System – Controller, rest identical	5.853,00	6.033,00	5.703,00
System 2-H	Similar to System 2-R but incl. Box B1150-H as Sub Woofer for long throw application, rest identical.	7.298,00	7.478,00	7.148,00

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.04.2019

Prices per piece ex works in Euro

Page 8 of 12

Complete Systems	Description	Professional Version Structural Varnish	Suspension Version Structural Varnish	Fixed Installation MDF Finish
2 Way Active Crossover				
System 3-R 2 X 1400 Watt RMS/8Ω SPL max 136 db /1m	2 Way Active Crossover, Mid-High with Passive Network, inclusive digital-4Way System Controller, Amplifier Rack, Connection Plane , Cables Set and Accessories 2 X Mid-High : T1121-H 2 X Bass : B1180-R System Power : 2 X 1000 W RMS Bass 2 X 600 W RMS Mid-High	8.755,00	8.935,00	8.600,00
System 3-RS	Similar to System 3-R but in Slave Configuration, without System – Controller, rest identical	7.620,00	7.800,00	7.470,00
System 3-H	Similar to System 3-R but incl. Box B1180-H as Sub Woofer for long throw application, rest identical.	9.025,00	9.205,00	8.875,00
System 4-R 2 X 2800 Watt RMS/4Ω SPL max 140 db 1W/1m	2 Way Active Crossover, Mid-High with Passive Network, inclusive digital-6Way System Controller, Amplifier Rack, Connection Plane , Cables Set and Accessories 2 X Mid-High : T2102-H 2 X Bass : B2180-R System Power : 2 X 2040 W RMS Bass 2 X 750 W RMS Mid-High	13.800,00	14.050,00	13.550,00
System 4-RS	Similar to System 4-R but in Slave Configuration, without System – Controller, rest identical	11.780,00	12.030,00	11.530,00
System 4-H	Similar to System 4-R but incl. Box B2180-H as Sub Woofer for long throw application, rest identical.	14.310,00	14.560,00	14.060,00

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.04.2019

Prices per piece ex works in Euro

Page 9 of 12

Line Array Systems	For LA - Effect you have to use 4 Systems minimum :	(1x System + 3x Slave System)			
LA System 1 2 X 600 Watt AES/8Ω SPL max 136 db /1m	2 Way Active , Mid-High with amping, digital-6way controller, pre-adjusted to the LA systems, connector plane, cable set and accessories 2 X Line Array : LA 2081-HND System Power : 2 X 800W RMS/4Ω	-	6.935,00	-	-
LA System 1S	Similar to System 1 but in Slave Configuration (without System - Controller) rest identical	-	6.135,00	-	-
LA System 2 2 X 1.200 Watt AES/8Ω SPL max 140 db /1m	2 Way Active , Mid-High with amping, digital-6way controller, pre-adjusted to the LA systems, connector plane, cable set and accessories 2 X Line Array : LA2101-HND System Power: 2X 1.200W RMS/4Ω	-	10.135,00	-	-
LA System 2S	Similar to System 2 but in Slave Configuration (without System - Controller) rest identical	-	9.335,00	-	-
Infra-Bass Systems for Line Array					
LA IB System 1 2 X 2.000 Watt AES/4Ω SPL max 139 db /1m	Active controlled due to LA system controller, 2 x Amplifier, , connector plane, cable set and accessories 2 X B2180-H Bass Horn System Power: 2 X 2.040W RMS/4Ω	6.190,00	6.590,00	-	-
LA IB System 1 MK4 4 X 1.000 Watt RMS/4Ω SPL max 139 db /1m	Active controlled due to LA system controller, 2 x Amplifier, , connector plane, cable set and accessories 4 X B2180-H Bass Horn System Power: 2 X 2.040W RMS/4Ω	6.868,50	7.428,50	-	-
LA IB System 2 4 X 1.200 Watt AES/8Ω SPL max 142 db /1m	Active controlled due to LA system controller, 2 x Amplifier, , connector plane, cable set and accessories 4 X B1210-H Bass Horn System Power: 2 X 2.040W RMS/4Ω	9.430,00	9.990,00	-	-

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.04.2019

Prices per piece ex works in Euro

Page 10 of 12

NEW! Line Array Systems IP-Grade	For LA - Effect you have to use 3 Systems minimum :	(1x System + 2x Slave System)		
LA WP-Series System 01 2 X 1200 Watt AES/8Ω SPL max 139 db /1m	2 Way Active , Mid-High with amping, digital-6way controller, pre-adjusted to the LA systems, connector plane, cable set and accessories 2 x Line Array: LA 21011.7-HND System Power: 2x1600W RMS/8+8Ω	-	10.310,00	-
LA WP-Series System 01S	Similar to System 01 but in Slave Configuration (without System - Controller) rest identical	-	9.510,00	
LA WP-Series System 02 2 X 1600 Watt AES/8Ω SPL max 141 db /1m	2 Way Active , Mid-High with amping, digital-6way controller, pre-adjusted to the LA systems, connector plane, cable set and accessories 2 x Line Array: LA 21231.7-HND System Power: 2x1600W RMS/8+8Ω	-	12.372,00	
LA WP-Series System 02S	Similar to System 01 but in Slave Configuration (without System - Controller) rest identical	-	11.572,00	
Suspended-Bass Systems	For LA-WP Series System 1 & 2			
LA WP-Series System 02B 2 X 2600 Watt AES/4Ω SPL max 142 db /1m	1 Way Active , Bass system with amping, digital-6way controller, pre-adjusted to the LA systems, connector plane, cable set and accessories 2 x Line Array: LAB2150-RND System Power: 2x2600W RMS/4Ω	-	8.560,00	
LA WP-Series System 02BS	Similar to System 01 but in Slave Configuration (without System - Controller) rest identical	-	7.760,00	
Complete Systems and Project Configurations	On Request			

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.04.2019

Prices per piece ex works in Euro

Page 11 of 12

Electronics	Description	Dimensions	Weight	Price
		W X H X D (mm)	kg	Euro per Piece
Controller				
PR 2040-D	Digital Controller with Limiter and Parametric EQs, 2 In/ 4 Outs, programmable, pre-programmed for PR Sound Systems	483 (19") X 44 (1HU) X 220	3,8 kg	905,00
PR 3060-D	Digital Controller with Limiter and Parametric EQ, 3 In/ 6 Outs, programmable, pre-programmed for PR Sound Systems	483 (19") X 44 (1HU) X 220	4,0 kg	1.335,00
PR 4080-D	Digital, fully programmable, Limiter and Parametric EQs, 4 In/ 8 Outputs, pre-programmed for PR Sound Systems	483 (19") X 44 (1HU) X 220	4,1 kg	1.820,00
PR 8080-D	Digital-Matrix, fully programmable, Limiter and Parametric EQs, 8 In/ 8 Outs, pre-programmed for PR Sound Systems	483 (19") X 44 (1HU) X 220	4,1 kg	2.020,00
LF- Power Amplifier For I-Floor® Application				
PR 1500LF	2 Channel Low Frequency Power Amplifier, Fan, Limiter 2 X 750W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 360	15,1 kg	1.304,00
PR 2000LF	2 Channel Low Frequency Power Amplifier, Fan, Limiter 2 X 1000W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 380	16,3 kg	1.579,00
Power Amplifier				
PR 700	2 Channel Power Amplifier, Fan, Limiter 2 X 350W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 360	13,0 kg	682,00
PR 900	2 Channel Power Amplifier, Fan, Limiter 2 X 450W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 360	13,5 kg	786,00
PR 1200	2 Channel Power Amplifier, Fan, Limiter 2 X 600W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 360	14,5 kg	1.155,00
PR 1500	2 Channel Power Amplifier, Fan, Limiter 2 X 750W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 360	14,8 kg	1.254,00
PR 2000	2 Channel Power Amplifier, Fan, Limiter 2 X 1000W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 380	15,8 kg	1.529,00

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.04.2019

Prices per piece ex works in Euro

Page 12 of 12

Amplifier 1HU Class-D		DMA Series: Examples, modular configurable		
NEW! PR DMA 2x200	2 Ch. Class-D Power Amplifier, Fan, Limit. 2 X 200W RMS / 4Ω, 1 HE	483 (19") X 44 (1HU) X 320	4,8 kg	619,00
NEW! PR DMA 4x200	4 Ch. Class-D Power Amplifier, Fan, Limit. 4 X 200W RMS / 4Ω, 1 HE	483 (19") X 44 (1HU) X 320	5,1kg	979,00
NEW! PR DMA 2x400	2 Ch. Class-D Power Amplifier, Fan, Limit. 2 X 400W RMS / 4Ω, 1 HE	483 (19") X 44 (1HE) X 320	4,9 kg	988,00
NEW! PR DMA 4x400	4 Ch. Class-D Power Amplifier, Fan, Limit. 4 X 200W RMS / 4Ω, 1 HE	483 (19") X 44 (1HE) X 320	5,2 kg	1.499,00
PR D1200	2 Channel Power Amplifier 2 X 580W RMS/ 4 Ohm, 1 X 1160W /8Ohm, 1 HU	483 (19") X 44 (1HE) X 280	5,9 kg	1.237,00
PR D3200	2 Channel Power Amplifier 2 X 950W RMS/ 4 Ohm, 1 X 2800W /4Ohm, 1 HU	483 (19") X 44 (1HE) X 320	7,4 kg	1.578,00
PR D4800	2 Channel Power Amplifier 2 X 1.800W RMS/ 4 Ohm, 1 X 4.400W /4Ohm, 1 HU	483 (19") X 44 (1HE) X 410	9,2 kg	2.139,00
Installation Modules PR DIM Series		Examples, modular configurable		
NEU ! PR DIM 2x200	2 Kanal Digital-Verstärkermodul, Lüft., Limit. 2 X 200W RMS / 4Ω, 1 HE	325 X 57 X 210	2,8 kg	549,00
NEU ! PR DIM 2x400	2 Kanal Digital-Verstärkermodul, Lüft., Limiter 2 X 400W RMS / 4Ω, 1 HE	325 X 57 X 210	3,7 kg	846,00
Ethernet Remote-Control Option	For WPA Series speakers and DMA / DIM Amplifiers / Modules			
NEW! Ethernet-Module with GUI software	Ethernet Adapter with sound control and Remote-Set-Up for up to 4 Ch.	Internal plug-in board		219,00
DI-Box				
DI230-P	Passive DI-Box, Transformer			95,00
DI230-A	Active DI-Box, Transformer, with 9V Block Battery			115,00
DI2300-APH	Active DI-Box with Phantom Power, Transformer			165,00

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !