

Customer Export Price List



01.01.2025

Prices per piece ex works in Euro

Page 1 of 14

Speaker Cabinets	Description	Professional Version	Suspension Version	Fixed Installation
		Structural Varnish	Structural Varnish	MDF Finish
NEW! I-Series				
I-V1061-CRND	Fullrange (1x6"/1x1"Coaxial) +Mount 8Ω / 200W AES	548,90	-	-
I-V1081-CRND	Fullrange (1x8"/1x1"Coaxial) +Mount 8Ω / 300W AES	625,90	-	-
I1061-CRND	Fullrange (1x6"/1x1"Coaxial) +Mount 8Ω / 150W AES	328,90	-	-
I2061-CRND	Fullrange (2x6"/1x1") +Mount 4Ω / 300W AES	548,90	-	-
I1061-CRE	Fullrange (1x6"/1x1"Coaxial) +Mount 4Ω / 80W AES	218,90	-	198,90
I2061-CRE	Fullrange (2x6"/1x1") +Mount 4Ω / 160W AES	368,50	-	321,50
Multiway Cabinets				
M1081-H	Fullrange (1x8"/1x1"Horn-Tweeter) 8Ω / 100W AES	658,90	697,40	624,50
M1101-H	Fullrange (1x10"/1x1"Horn-Tweeter) 8Ω / 150W AES	854,70	953,70	795,50
M11241-H	Fullrange (1x12"/1x4"/1x1"Horn-Tweeter) 8Ω / 200W AES	1.204,50	1.303,50	1.1180,00
M11581-H	Fullrange (1x15"/1x8"/1x1"Horn-Tweeter) 8Ω / 600W AES	1.342,00	1.441,00	1.273,90
M1101-HIFI	HIFI (1x10" /1x1"Tweeter) 8Ω / 150W AES	445,50	-	408,50
M11221-HIFI	HIFI (1x12" /1x2"Mid/1x1"Tweeter) 8Ω / 300W AES	913,00	-	860,00
M11541-HIFI	HIFI (1x15" /1x4"Mid/1x1"Tweeter) 8Ω / 400W AES	1.293,60	-	1.225,50
Mid-High Range				
T1081-H	Mid-High (1x8"/1x1"Horn-Tweeter) 8Ω / 200W AES	939,40	1.038,40	869,50
T1101-H	Mid-High (1x10"/1x1" CD Horn) 8Ω / 300W AES	1.054,90	1.153,90	980,50
T1101-HND	Mid-High (1x10"ND Driver/1x1" CD Horn) 8Ω / 300W AES, ND-Version	1.160,50	1.269,40	1.073,90
T1121-H	Mid-High (1x12"/1x1"CD Horn) 8Ω / 400W AES	1.452,00	1.551,00	1.367,50
T1121-HND	Mid-High (1x12" ND Driver /1x1"CD Horn) 8Ω / 400W AES, ND-Version	1.597,20	1.706,10	1.503,90
T2102-H	Mid-High (2x10" Horn/1x2"CD Horn) 4Ω / 800W AES	2.420,00	2.557,50	2.311,25
T2102-HND	Mid-High (2x10" ND Driver /1x2"CD Horn) 4Ω / 800W AES, ND-Version	2.662,00	2.813,80	2.542,40
T2122-H	Mid-High (2x12"Horn/1x2"CD Horn) 4Ω / 1.200W AES	2.645,50	2.783,00	2.526,25
T2122-HND	Mid-High (2x12" ND Driver /1x2"CD Horn) 4Ω / 1.2kW AES, ND-Version	2.910,60	3.061,30	2.778,90

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.01.2025

Prices per piece ex works in Euro

Page 2 of 14

Sub Woofer Horn

B1150-H	Bass-Horn (1x15") 8Ω / 800W AES	1.138,50	1.276,00	1.053,50
B1150-HND	Bass-Horn (1x15"ND) 8Ω / 700W	1.252,90	1.403,60	1.158,90
B2150-H	Bass-Horn (2x15") 4Ω / 1.6kW AES	2.002,00	-	1.863,00
B2150-HND	Bass-Horn (2x15"ND) 4Ω / 1.4kW	2.198,90		2.048,99
B1180-H	Bass-Horn (1x18") 8Ω / 1kW AES	1.287,00	1.424,50	1.198,90
B1180-HND	Bass-Horn (1x18"ND) 8Ω / 800W	1.415,70	1.567,50	1.319,00
B2180-H	Bass-Horn (2x18") 4Ω / 2kW AES	2.282,50	-	2.133,90
B2180-HND	Bass-Horn (2x18"ND) 4Ω / 1.6kW	2.511,30	-	2.347,80
B1210-H	Bass-Horn (1x21") 8Ω / 1.2kW AES	1.965,70	-	1.856,50

Sub Woofer Reflex

NEW! B1100-R	Bass-Reflex (1x10") 8Ω / 400W AES	484,00	-	-
B1150-R	Bass-Reflex (1x15") 8Ω / 800W AES	968,00	1.105,50	903,00
B1150-RND	Bass-Reflex (1x15"ND) 8Ω / 700W AES	1.064,80	1.215,50	993,00
B2150-R	Bass-Reflex (2x15") 4Ω / 1.6kW AES	1.776,50	-	1.660,90
B2150-RND	Bass-Reflex (2x15"ND) 4Ω / 1.4kW AES	1.953,60	-	1.868,90
B1180-R	Bass-Reflex (1x18") 8Ω / 1kW AES	1.138,50	1.276,00	1.078,00
B1180-RND	Bass-Reflex (1x18"ND) 8Ω / 800W AES	1.251,80	1.403,60	1.185,80
B2180-R	Bass-Reflex (2x18") 4Ω / 2.0kW AES	2.002,00	-	1.906,30
B2180-RND	Bass-Reflex (2x18"ND) 4Ω / 1.6kW AES	2.202,20	-	2.096,60

Monitor/Multipurpose

MT1121-H	Bass-Reflex (1x12"/1x1" Horn) 8Ω / 350W AES	1.098,90	1.208,90	-
MT1121.4-H	Bass-Reflex (1x12"/1x1.4" Horn) 8Ω / 450W AES	1.562,00	1.661,00	-
MT2121-H	Bass-Reflex (2x12"/1x1" Horn) 4Ω / 700W AES	2.002,00	2.101,00	-
MT1152-H	Bass-Reflex (1x15"/1x2" Horn) 8Ω / 600W AES	1.716,00	1.851,30	-

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.01.2025

Prices per piece ex works in Euro

Page 3 of 14

Line Array				
LA20821.7-HND	Bass-Reflex/Horn (2x8"/2x1.75" Planar-Waveguide-Horn) Neodym, 8Ω/8Ω / 600W AES	-	2.772,00	-
LA21021.4-HND	Bass-Reflex/Horn (2x10"/2x1,4" Horn) Neodym, 8Ω/8Ω / 1.2kW AES	-	4.191,00	-
LA2121-HND	Bass-Reflex/Horn (2x10"/2x1,4" Horn), Neodym, 8Ω/16Ω / 950W AES	-	4.609,00	-
LA2151-HND	Bass-Reflex/Horn (2x15"/2x6"/3x1.5" Horn), Neo. 8Ω/8Ω/16Ω/1.6KW AES	-	6.589,00	-
LA21231.7-HND	Bass-Reflex/Horn (2x12"/3x1,75" Planar-Waveguide-Horn), Neodym, 8Ω/16Ω / 1.9kW AES	-	7.038,90	-
LAB2080-RND Bass Extension	Bass-Reflex (2x8"), Neodym, 0.8KW AES / 8Ω	-	2.033,90	-
LAB2100-RND Bass Extension	Bass-Reflex (2x10"), Neodym, 1.0KW AES / 8Ω	-	2.189,00	-
LAB2120-RND Bass Extension	Bass-Reflex (2x12"), Neodym, 2.0KW AES / 8Ω	-	3.289,00	-
LAB2150-RND Bass Extension	Bass-Reflex (2x15"), Neodym, 2.4KW AES / 8Ω	-	4.059,00	-
Powered Sub Woofer				
PB1150-R	Bass-Reflex (1x15") 1 KW RMS internal digital Controller	2.068,00	2.205,50	2.024,00
PB2150-R	Bass-Reflex (2x15") 2 KW RMS internal digital Controller	3.151,50	-	3.074,50
PB1180-R	Bass-Reflex (1x18") 1 KW RMS internal digital Controller	2.238,50	2.376,00	2.178,00
PB2180-R	Bass-Reflex (2x18") 2 KW RMS internal digital Controller	3.377,00	-	3.281,30
Function-Series				
T1101-HNDF	Mid-High (1x10"ND Driver/1x1,75" CD Horn) 8Ω / 600W AES, ND-F Version	1.732,50	1.859,00	1.648,90
T1121-HNDF	Mid-High (1x12" ND Driver /1x1,75"CD Horn) 8Ω / 1000W AES, ND-F Version	2.189,00	2.464,00	2.088,90
B1150-RNDF	Bass-Reflex (1x15"ND) 8Ω / 1200W AES	1.562,00	1.681,90	1.384,90
B2150-RNDF	Bass-Reflex (2x15"ND) 4Ω /2.4kW AES	2.748,90		2.464,00
B1180-RNDF	Bass-Reflex (1x18"ND) 8Ω / 1.6kW AES	1.801,80	1.881,00	1.672,00
B2180-RNDF	Bass-Reflex (2x18"ND) 4Ω /3.2kW AES	3.179,00		2.858,90

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.01.2025

Prices per piece ex works in Euro

Page 4 of 14

Powered Multiway				
PM1001-H	Fullrange (1x10"/1x1" CD-Horn) 300W RMS, internal Controller	1.954,70	2.053,70	1.914,00
PM1201-H	Fullrange (1x12"/1x1" CD-Horn) 400W RMS, internal Controller	2.304,50	2.403,50	2.244,00
PM15175-HND	Fullrange (1x15"/1x1,75"ND-Horn) 400W RMS, internal Controller	2.442,00	2.541,00	2.403,50
Very High Power Output				
PT2102-HND	Mid-High (2x10" ND Driver /1x2"CD Horn) 1 KW RMS, ND-Version internal digital Controller	3.762,00	3.913,80	3.701,50
PT2122-HND	Mid-High (2x12" ND Driver /1x2"CD Horn) 1.2 KW RMS, ND-Version internal digital Controller	4.010,60	4.161,30	3.943,50
Weather Proof WP-Series				
	For out door			
NEW!	WP1061-CRND	6"/ 1" Fullrange System, 8Ω/200W AES, GRP, w. proof	-	768,90
NEW!	WP2061-CRND	2x 6"/ 1" Fullrange System, 4Ω/400W AES, GRP, w. proof	-	1.474,00
	WP1081-CRND	8"/ 1" Fullrange System, 8Ω/16Ω/200W AES, GRP, w. proof	-	878,80
	WP2081-CRND	2x 8"/ 1" Fullrange System, 8Ω/16Ω/400W AES, GRP, w. proof	-	1.584,00
	WP1101-CRND	10"/ 1" Fullrange System, 8Ω/16Ω/200W AES, GRP, w. proof	-	1.078,00
	WP2101-CRND	2x 10"/1" Fullrange System 4Ω/8Ω/400W AES, GRP, w. proof	-	1.940,40
	WP1100-BRND	1x 10" Bass-System, 8Ω/200W AES, GRP, w. proof	-	730,40
	WP1122-CRND	12"/ 2" Fullrange System, 8Ω/16Ω/350W AES, GRP, w. proof	-	1.144,00
	WP1122-CRHP	12"/ 2" Fullrange System, Hi-Power 8Ω/8Ω/600W AES, GRP, w. proof	-	1.496,00
	WP1120-BRND	12" Bass-Reflex System, 8Ω/600W AES, GRP, weather proof	-	836,00
	WP2122CRND	2x 12"/ 2" Fullrange System, 4Ω/8Ω/700W AES, GRP, w. proof	-	2.059,20
	WP2122-CRHP	2x 12"/ 2" Fullrange System, Hi-Power, 4Ω/4Ω/1.2kW AES, GRP, weather proof	-	2.543,20
	WP2120-BRND	2x 12" Bass-Reflex System, 4Ω/1.2kW AES, GRP, weather proof	-	1.504,80
	WP1152-CRND	15"/ 2" Fullrange System, 8Ω/16Ω /400W AES, GRP, w. proof	-	1.243,00
	WP1152-CRHP	15"/ 2" Fullrange System, Hi-Power 8Ω/800W AES, GRP, weather proof	-	1.815,00
	WP1150-BRND	15" Bass-Reflex System, 8Ω/800W AES, GRP, weather proof	-	957,00
	WP2152-CRND	2x 15"/ 2" Fullrange System, 4Ω/8Ω/800W AES, GRP, w. proof	-	2.237,40

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.01.2025

Prices per piece ex works in Euro

Page 5 of 14

WP2152-CRHP	2x 15"/ 2" Fullrange System, Hi-Power, 4Ω/8Ω/1.6kW AES, GRP, weather proof	-	-	3.267,00
WP2150-BRND	2x 15" Bass-Reflex System, 4Ω/1.6kW AES, GRP, weather proof	-	-	1.722,60
Weather Proof WPA-Series	Self powered, Class-D modules, for out door			
NEW! WPA1061-CRND	6"/ 1" Fullrange System, Class-D - 200W RMS, GRP, weather proof	-	-	1.424,50
NEW! WPA2061-CRND	2x 8"/ 1" Fullrange System, Class-D 400W RMS, GRP, weather proof	-	-	2.198,90
WPA1081-CRND	8"/ 1" Fullrange System, Class-D, 200W RMS, GRP, weather proof	-	-	1.534,50
WPA2081-CRND	2x 8"/ 1" Fullrange System, Class-D 400W RMS, GRP, weather proof	-	-	2.308,90
WPA1101-CRND	10"/ 1" Fullrange System, Class-D, 200W RMS, GRP, weather proof	-	-	1.742,40
WPA2101-CRND	2x 10"/1" Fullrange System, Class-D, 400W RMS, GRP, weather proof	-	-	2.638,90
WPA1122-CRND	12"/ 2" Fullrange System, Class-D, 500W RMS, GRP, weather proof	-	-	2.081,20
WPA1120-BRND	12" Bass-Reflex System, Class-D, 500W RMS, GRP, weather proof	-	-	1.703,90
WPA2122CRND	2x 12"/ 2" Fullrange System, Class-D, 700W RMS, GRP, weather proof	-	-	3.188,90
WPA2120-BRND	2x 12" Bass-Reflex System, Class-D, 700W RMS, GRP, weather proof	-	-	2.858,90
WPA1152-CRND	15"/ 2" Fullrange System, Class-D , 800W RMS, GRP, weather proof	-	-	2.187,90
WPA1150-BRND	15" Bass-Reflex System, Class-D , 800W RMS, GRP, weather proof	-	-	1.868,90
WPA2152-CRND	2x 15"/2" Fullrange System, Class-D, 1.400W RMS, GRP, weather proof	-	-	3.848,90
WPA2150-BRND	2x 15" Bass-Reflex System, Class-D, 1.400W RMS, GRP, weather proof	-	-	2.968,90
I-Floor®	Modular 1x1m			
S-Floor® System	1x1m Sound Floor Module, Multiplex, 2x750W RMS with system controller and exciter	-	-	2.858,90
S-Floor® System SL	1x1m Sound Floor Modul, "Slave" Tile, without system controller and exciter	-	-	768,90
I-Floor® System	1x1m Infra-Floor Bass-Module, Multiplex, 2x750W RMS with system controller and exciter	-	-	2.638,90
I-Floor® System SL	1x1m Infra-Floor Bass-Module, "Slave" Tile, without system controller and exciter	-	-	768,9

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.01.2025

Prices per piece ex works in Euro

Page 6 of 14

3D-Sound System	Processor, Tablet-Computer, Software, WiFi Router			
3D-Sound System	System with 3D-Sound-Processor, Software for Tablet-Computer Control, with WiFi Router	-	-	3.289,00
Laser-Mission Laser-Obstacle-Game	Control Unit, Compact-PC, Laser-Sensor-Barrier, Video- and Audio-Output for Display, Software-Licence			
Laser-Mission System	Complete system to create an exciting Laser-Obstacle-Game Example-Price for a system with 20 Laser-Light-Barriers Control-Unit LMC1, PC-based counting system with video output for monitor display inclusively audio-out for stunning Sound-Effects	-	-	23.210,00
Laser-Emitter and receiver module (additional)	Laser-Emitter and receiver module-combination to create an additional Laser-Light-Barrier	-	-	699,00

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.01.2025

Prices per piece ex works in Euro

Page 7 of 14

Complete Systems	Description	Professional Version	Suspension Version	Fixed Installation
		Structural Varnish	Structural Varnish	MDF Finish
2 Way Active Crossover				
System 1-R	2 Way Active Crossover, Mid-High with Passive Network, inclusive Digital-4Way System Controller, Amplifier Rack, Connection Plane , Cables Set and Accessories 2 X Mid-High : T1081-H 2 X Bass : B1150-R System Power : 2 X 450 W RMS Bass 2 X 350 W RMS Mid-High	6.773,80	6.971,80	6.630,80
2 X 1000 Watt RMS/8Ω SPL max 128 dB 1W/1m				
System 1-RS	Similar to System 1-R but in Slave Configuration, without System – Controller, rest identical	5.525,30	5.723,30	5.382,30
System 1-H	Similar to System 1-R but incl. Box B1150-H as Sub Woofer for long throw application, rest identical.	7.114,80	7.312,80	6.971,80
System 2-R	2 Way Active Crossover, Mid-High with Passive Network, inclusive Digital-4Way System Controller, Amplifier Rack, Connection Plane , Cables Set and Accessories 2 X Mid-High : T1101-H 2 X Bass : B1150-R System Power : 2 X 750 W RMS Bass 2 X 450 W RMS Mid-High	7.686,80	7.884,80	7.521,80
2 X 1100 Watt RMS/8Ω SPL max 132 dB 1W/1m				
System 2-RS	Similar to System 2-R but in Slave Configuration, without System – Controller, rest identical	6.438,30	6.636,30	6.273,30
System 2-H	Similar to System 2-R but incl. Box B1150-H as Sub Woofer for long throw application, rest identical.	8.027,80	8.225,80	7.862,80

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.01.2025

Prices per piece ex works in Euro

Page 8 of 14

Complete Systems	Description	Professional Version	Suspension Version	Fixed Installation
		Structural Varnish	Structural Varnish	MDF Finish
2 Way Active Crossover				
System 3-R	2 Way Active Crossover, Mid-High with Passive Network, inclusive digital-4Way System Controller, Amplifier Rack, Connection Plane , Cables Set and Accessories 2 X Mid-High : T1121-H 2 X Bass : B1180-R System Power : 2 X 1000 W RMS Bass 2 X 600 W RMS Mid-High	9.630,50	9.828,50	9.460,00
2 X 1400 Watt RMS/8Ω SPL max 136 db / 1m				
System 3-RS	Similar to System 3-R but in Slave Configuration, without System – Controller, rest identical	8.382,00	8.580,00	8.217,00
System 3-H	Similar to System 3-R but incl. Box B1180-H as Sub Woofer for long throw application, rest identical.	9.927,50	10.125,50	9.762,50
System 4-R	2 Way Active Crossover, Mid-High with Passive Network, inclusive digital-6Way System Controller, Amplifier Rack, Connection Plane , Cables Set and Accessories 2 X Mid-High : T2102-H 2 X Bass : B2180-R System Power : 2 X 2040 W RMS Bass 2 X 750 W RMS Mid-High	15.180,00	15.455,00	14.905,00
2 X 2800 Watt RMS/4Ω SPL max 140 db 1W/1m				
System 4-RS	Similar to System 4-R but in Slave Configuration, without System – Controller, rest identical	12.958,00	13.233,00	12.683,00
System 4-H	Similar to System 4-R but incl. Box B2180-H as Sub Woofer for long throw application, rest identical.			

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.01.2025

Prices per piece ex works in Euro

Page 9 of 14

Line Array Systems	For LA - Effect you have to use 4 Systems minimum:	(1x System + 3x Slave System)		
LA System 1 2 X 600 Watt AES/8Ω SPL max 136 db /1m	2 Way Active , Mid-High with amping, digital-6way controller, pre-adjusted to the LA systems, connector plane, cable set and accessories 2 X Line Array : LA 2081-HND System Power : 2 X 800W RMS/4Ω		7.628,50	-
LA System 1S	Similar to System 1 but in Slave Configuration (without System - Controller) rest identical		6.748,50	-
LA System 2 2 X 1.200 Watt AES/8Ω SPL max 140 db /1m	2 Way Active , Mid-High with amping, digital-6way controller, pre-adjusted to the LA systems, connector plane, cable set and accessories 2 X Line Array : LA2101-HND System Power: 2X 1.200W RMS/4Ω		11.148,50	-
LA System 2S	Similar to System 2 but in Slave Configuration (without System - Controller) rest identical		10.268,50	-
Infra-Bass Systems for Line Array				
LA IB System 1 2 X 2.000 Watt AES/4Ω SPL max 139 db /1m	Active controlled due to LA system controller, 2 x Amplifier, , connector plane, cable set and accessories 2 X B2180-H Bass Horn System Power: 2 X 2.040W RMS/4Ω	6.809,00	7.249,00	-
LA IB System 1 MK4 4 X 1.000 Watt RMS/4Ω SPL max 139 db /1m	Active controlled due to LA system controller, 2 x Amplifier, , connector plane, cable set and accessories 4 X B2180-H Bass Horn System Power: 2 X 2.040W RMS/4Ω	7.555,35	8.171,35	-
LA IB System 2 4 X 1.200 Watt AES/8Ω SPL max 142 db /1m	Active controlled due to LA system controller, 2 x Amplifier, , connector plane, cable set and accessories 4 X B1210-H Bass Horn System Power: 2 X 2.040W RMS/4Ω	10.373,00	10.989,00	-

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.01.2025

Prices per piece ex works in Euro

Page 10 of 14

NEW! Line Array Systems IP-Grade	For LA - Effect you have to use 3 Systems minimum:	(1x System + 2x Slave System)		
LA WP-Series System 01 2 X 1200 Watt AES/8+16Ω SPL max 139 db /1m	2 Way Active , Mid-High with amping, digital-6way controller, pre-adjusted to the LA systems, connector plane, cable set and accessories 2 x Line Array: LA21011.7-HND System Power: 2x1600W RMS/8+8Ω	-	11.341,00	-
LA WP-Series System 01S	Similar to System 01 but in Slave Configuration (without System - Controller) rest identical	-	10.461,00	-
LA WP-Series System 02 2 X 1600 Watt AES/8Ω SPL max 141 db /1m	2 Way Active , Mid-High with amping, digital-6way controller, pre-adjusted to the LA systems, connector plane, cable set and accessories 2 x Line Array: LA21221.7-HND System Power: 2x1600W RMS/8+8Ω	-	13.609,20	-
LA WP-Series System 02S	Similar to System 01 but in Slave Configuration (without System - Controller) rest identical	-	12.729,20	-
Suspended-Bass Systems	For LA-WP Series System 1 & 2			
LA WP-Series System 02B 2 X 2600 Watt AES/4Ω SPL max 142 db /1m	1 Way Active , Bass system with amping, digital-6way controller, pre-adjusted to the LA systems, connector plane, cable set and accessories 2 x Line Array: LAB2150-RND System Power: 2x2600W RMS/4Ω	-	9.416,00	-
LA WP-Series System 02BS	Similar to System 01 but in Slave Configuration (without System - Controller) rest identical	-	8.536,00	-
Complete Systems and Project Configurations	On Request			

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.01.2025

Prices per piece ex works in Euro

Page 11 of 14

Electronics	Description	Dimensions	Weight	Price
		W X H X D (mm)	kg	Euro per Piece
Controller				
PR 2040-D	Digital Controller with Limiter and Para- metric EQs, 2 In/ 4 Outs, programmable, pre-programmed for PR Sound Systems	483 (19") X 44 (1HU) X 220	3,8 kg	1.040,75
PR 3060-D	Digital Controller with Limiter and Para- metric EQ, 3 In/ 6 Outs, programmable, pre-programmed for PR Sound Systems	483 (19") X 44 (1HU) X 220	4,0 kg	1.535,25
PR 4080-D	Digital, fully programmable, Limiter and Parametric EQs, 4 In/ 8 Outputs, pre-programmed for PR Sound Systems	483 (19") X 44 (1HU) X 220	4,1 kg	2.093,00
PR 8080-D	Digital-Matrix, fully programmable, Limiter and Parametric EQs, 8 In/ 8 Outs, pre-programmed for PR Sound Systems	483 (19") X 44 (1HU) X 220	4,1 kg	2.323,00
LF Power Amplifier For I-Floor® Application				
PR 1500LF	2 Channel Low Frequency Power Amplifier, Fan, Limiter 2 X 750W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 360	15,1 kg	1.499,60
PR 2000LF	2 Channel Low Frequency Power Amplifier, Fan, Limiter 2 X 1000W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 380	16,3 kg	1.815,85
Power Amplifier				
PR 700	2 Channel Power Amplifier, Fan, Limiter 2 X 350W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 360	13,0 kg	784,30
PR 900	2 Channel Power Amplifier, Fan, Limiter 2 X 450W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 360	13,5 kg	903,90
PR 1200	2 Channel Power Amplifier, Fan, Limiter 2 X 600W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 360	14,5 kg	1.328,25
PR 1500	2 Channel Power Amplifier, Fan, Limiter 2 X 750W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 360	14,8 kg	1.442,10
PR 2000	2 Channel Power Amplifier, Fan, Limiter 2 X 1000W RMS / 4Ω, 2 HU	483 (19") X 88 (2HU) X 380	15,8 kg	1.758,35

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.01.2025

Prices per piece ex works in Euro

Page 12 of 14

Amplifier 1HU Class-D	DMA Series: Examples, modular configurable			
NEW! PR DMA 2x200	2 Ch. Class-D Power Amplifier, Fan, Limit. 2 X 200W RMS / 4Ω, 1 HE	483 (19") X 44 (1HU) X 320	4,8 kg	711,85
NEW! PR DMA 4x200	4 Ch. Class-D Power Amplifier, Fan, Limit. 4 X 200W RMS / 4Ω, 1 HE	483 (19") X 44 (1HU) X 320	5,1kg	1.125,85
NEW! PR DMA 2x400	2 Ch. Class-D Power Amplifier, Fan, Limit. 2 X 400W RMS / 4Ω, 1 HE	483 (19") X 44 (1HE) X 320	4,9 kg	1.136,20
NEW! PR DMA 4x400	4 Ch. Class-D Power Amplifier, Fan, Limit. 4 X 200W RMS / 4Ω, 1 HE	483 (19") X 44 (1HE) X 320	5,2 kg	1.723,85
PR D1200	2 Channel Power Amplifier 2 X 580W RMS/ 4 Ohm, 1 X 1160W / 8Ohm, 1 HU	483 (19") X 44 (1HE) X 280	5,9 kg	1.422,55
PR D3200	2 Channel Power Amplifier 2 X 950W RMS/ 4 Ohm, 1 X 2800W / 4Ohm, 1 HU	483 (19") X 44 (1HE) X 320	7,4 kg	1.814,70
PR D4800	2 Channel Power Amplifier 2 X 1.800W RMS/ 4 Ohm, 1 X 4.400W / 4Ohm, 1 HU	483 (19") X 44 (1HE) X 410	9,2 kg	2.459,85
Installation Modules PR DIM Series	Examples, modular configurable			
NEU! PR DIM 2x200	2 Kanal Digital-Verstärkermodul, Lüft., Limit. 2 X 200W RMS / 4Ω, 1 HE	325 X 57 X 210	2,8 kg	631,35
NEU! PR DIM 2x400	2 Kanal Digital-Verstärkermodul, Lüft., Limiter 2 X 400W RMS / 4Ω, 1 HE	325 X 57 X 210	3,7 kg	972,90
Ethernet Remote-Control Option	For WPA Series speakers and DMA / DIM Amplifiers / Modules			
NEW! Ethernet-Module with GUI software	Ethernet Adapter with sound control and Remote-Set-Up for up to 4 Ch.	Internal plug-in board		251,85
DI-Box				
DI230-P	Passive DI-Box, Transformer			109,25
DI230-A	Active DI-Box, Transformer, with 9V Block Battery			132,25
DI2300-APH	Active DI-Box with Phantom Power, Transformer			189,75

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.01.2025

Prices per piece ex works in Euro

Page 13 of 14

PR-Drive Rack Series

WP0.3-SR	Drive Rack for PR WP-Series Speaker-System, 4 channel, 3,2kW RMS Power max. with Digital Sound Processing (DSP) & Dante	19"/180mm(4HU)/ 420mm depth	15kg / 33,2lbs	3.410,00
WP0.6-SR	Drive Rack for PR WP-Series Speaker-System, 8 channel, 6,4kW RMS Power max. with Digital Sound Processing (DSP) & Dante	19"/180mm(4HU)/ 420mm depth	22kg / 49.7lbs	5.669,00
WP1-SR	Drive Rack for PR WP-Series Speaker-System, 4 channel, 6kW RMS Power max. with Digital Sound Processing (DSP) & Dante	19"/180mm(4HU)/ 420mm depth	17kg / 38lbs	3.930,00
WP2-SR	Drive Rack for PR WP-Series Speaker-System, 8 channel, 12kW RMS Power max. with Digital Sound Processing (DSP) & Dante	19"/180mm(4HU)/ 420mm depth	24kg / 54lbs	6.550,50
WP3-SR	Drive Rack for PR WP-Series Speaker-System, 12 channel, 18kW RMS Power max. with Digital Sound Processing (DSP) & Dante	19"/270mm(6HU)/ 420mm depth	35kg / 79lbs	9.550,00

PR-LA-Drive Rack Series

LA1-MK2-SR	Drive Rack for PR LA-Series Speaker-System, 8 channel, 3,6kW RMS Power max. with Digital Sound Processing (DSP)& Dante			5.262,00
LA1-MK3-SR	Drive Rack für PR LA-Serie Lautsprecher-System, 12 channel, 6kW RMS Power max. with Digital Sound Processing (DSP) & Dante			7.817,00
LA2-MK2-SR	Drive Rack for PR LA-Series Speaker-System, 8 channel, 7,2kW RMS Power max. with Digital Sound Processing (DSP) & Dante			6.658,00
LA2-MK3-SR	Drive Rack for PR LA-Series Speaker-System, 12 channel, 13,2kW RMS Power max. with Digital Sound Processing (DSP) & Dante			9.419,00

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !

Customer Export Price List



01.01.2025

Prices per piece ex works in Euro

Page 14 of 14

LA3-MK2-SR	Drive Rack for PR LA-Series Speaker-System, 8channel , 40kW RMS Power max. with Digital Sound Processing (DSP) & Dante	14.078,00
LA3-MK3-SR	Drive Rack for PR LA-Series Speaker-System, 12channel , 60kW RMS Power max. with Digital Sound Processing (DSP) & Dante	21.978,00

All technical specifications are subjected to be changed without prior notice ! Any liability for misprints excluded !